


drawn	checked	checked	released	populated
date: 08.05.2017	name: AS	PR / AW / CH	J. Menke	A. Kepp
signature:				I. Zimmermanns


change	date	name	PhoenixTouch24 - Feuerbeständiger 24"-Touch-Panel-PC zur Montage in Flucht und Rettungswegen
Tol. -> DIN ISO2768-1 m scale: 1 : 1			 Geräteabmaße ohne Wallmount
			1 of 3
			A2




**PHOENIX-24**




A ( 1 : 5 )  
Montage Wallmount





A ( 1 : 5 )  
Montage Gerät



B-B ( 1 : 5 )



C ( 1 : 5 )




date:	08.05.2017	checked:	PR / AW / CH	checked:	J. Menke	released:	A. Kepp	populated:	I. Zimmermanns
name:	AS	signature:							


change	date	name	PhoenixTouch24 - Feuerbeständiger 24"-Touch-Panel-PC zur Montage in Flucht und Rettungswegen
Tol. -> DIN ISO2768-1 m			
scale: 1 : 1			
			<b>Montage</b> <b>PHOENIX-24</b>
			Gewicht:
			2 of 3
			A2




D-D ( 1 : 2.5 )



E-E ( 1 : 2.5 )



F ( 1 : 1 )



date:	08.05.2017	name:	AS	PR / AW / CH	J. Menke	A. Kepp	I. Zimmermanns
drawn:		checked:		checked:		released:	populated:
signature:							

date:	08.05.2017	name:	PhoenixTouch24 - Feuerbeständiger 24"-Touch-Panel-PC zur Montage in Flucht und Rettungswegen
change:			
Tol. -> DIN ISO2768-1 m	ISO 2768-mk	angle:	
scale:	1 : 1		
			<b>PHOENIX-24</b> PHOENIX-24
			J:\DDB (Brandschutz Panel PC)\24 Zoll\DDB-24-xxx\Zeichnungen\Kundenzeichnung\PHOENIX-24.idw

change:		Gewicht:	3 of 3
Tol. -> DIN ISO2768-1 m scale: 1 : 1		ISO 2768-mk angle	A2